


OMBRE HAND DYES

Fabric by Marcus Fabrics
Quilt by Nancy Rink of Nancy Rink Designs



42" x 58"

Finished Quilt Size: 42" x 58"

Fabric Requirements

One Ombre Strip-It™ Roll # ST03

½ yard binding fabric (quilt shown uses Centennial Solid, Purple Ice #5901-2076)

3 yards backing fabric (quilt shown uses Centennial Solid, Raspberry #5901-0480)

Also:

Neutral thread in tan or grey

Spray Starch or Sizing

The total segment count to complete the quilt is as follows:(based on 42" long strips)

Sixty-eight 8 ½" long segments


Fourteen 3 ¾" long segments

Thirty-six 4 ½" long segments

1. Randomly sew together two 2 ½" strips. Press seams in one direction. Starch and repress. This will help to stabilize your strip sets and minimize stretching. Repeat for a total of 20 pairs.


2. Cut a 4 ½" segment from one end of ALL strip sets.

3. From each of SEVEN strip sets, cut
Two 3 ¾" long segments from the ends
Three 8 ½" long segments
One 4 ½" long segment



4. From each of ELEVEN strip sets, cut Four 8 ½" long segments

5. From ONE strip set, cut
Three 8 ½" long segments
Two 4 ½" long segments



6. From ONE strip set, cut
Seven 4 ½" long segments

7. Gather all of the 4 ½" segments and sew together as shown. Cut into sixty-seven 1 ½" wide segments, centering the seamline on the ¾" hash mark of the ruler.




8. Row A. Arrange five 8 ½" long segments alternately with four 1 ½" wide segments. Sew together, pressing seams toward the 1 ½" wide segments. Repeat for a total of eight.



9. Row B. Arrange four 8 ½" long segments alternately with five 1 ½" segments. Add a 3 ¾" wide segment to each end. Press seams toward 1 ½" wide segments. Make a total of seven.



10. Sew a Row A to a Row B. Make a total of seven.



Continued

11. Referring to Quilt Assembly Diagram, arrange Row pairs and the remaining Row A so that there are five Row pairs plus the Row A in the center section. Sew together the center section, then add a Row pair to the top and bottom of the quilt.


12. Stay-stitch around the edge of the quilt to stabilize prior to machine quilting.

Finishing

1. Cut backing into two equal lengths. Sew a 1" seam along the selvedge edge. Trim off selvages and press seam open.

2. Layer top, batting, and backing. Quilt in an all-over pattern. Note: quilt shown was quilted with a pastel variegated thread.

3. Cut fabric for binding into six 2 1/4"-wide strips. Sew together end-to-end and press in half. Bind quilt.



Quilt Assembly Diagram



Visit www.nancyrinkdesigns.com
for more patterns and quilt ideas and kits